

Borough of Little Ferry

215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

Application for a Certificate of RENTAL Borough Ordinance No. 1605-19-23 Ordinance No.1272-04-09

DATE:			
PROPERTY ADDRESS:		APT/UNI	IT NO.:
BLOCK: LOT:	YEAR BU	JILT:OWNER O	OCCUPIED: YES NO
Check one: 1 F	amily: 2 F	amily: 3 Family: _	4+ Family: Condo: Townhouse:
Rental:	Move-i	<mark>n-Date</mark>	
PROPERTY OWNER:			
PROPERTY OWNER'S ADDRI	ESS (MAILING/ RESI	DING):	•
CITY:	STATE:	ZIP CODE:	TELEPHONE:
TENANTS NAME:		TELEPHONE:	EMAIL:
CONTACT NAME FOR INSPE	CONTACT NAME FOR INSPECTION: PHONE:		
NUMBER OF ADULTS	NU	MBER OF MINOR CHILDE	REN / AGES
 additional fees. Include the name an All pages of informa All requirements on No one is permitted A CCO will only be Borough are paid. 	d telephone number ation on the application the CCO Affidavit per to occupy the premississued once all open	of the contact person response on shall be read and filled the rea	ing being inspected shall be complied with.
Printed Name of Property Owne	r	Property Own	ner's / Telephone Number
Signature of Property Owner		Property Own	er's E-Mail Address
FOR OFFICE USE ONLY: CO	 CO#	PAID: CHECK #:	CASH:

INSPECTION DATE SCHEDULED: _____ TIME: _____

LEAD CERTIFICATE RECEIVED FROM OWNER (IF APPLICABLE): ___

Landlord Identity Statement One and Two Unit Dwelling Registration Form N.J.A.C.5:29-1.2 thru 5:29-2.2

	Date
Building Addr	ress: Apt./Unit/Floor #:
	Little Ferry, NJ
Tenant Name:	
(a)	PURSUANT TO N.J.S.A 46:8-27 thru 37 One and two-unit dwelling registration form The form of the certificate of registration to be filed with the municipal clerk and distributed to tenants by owners of non-owner occupied one and two unit dwellings shall be substantially as follows.
1. The names, general partner	addresses and phone numbers of all record owners of the building or of the rental business (including all is in the case of a partnership) are as follows:
2. If the record	owner is a corporation, the names and addresses of the registered agent and of the corporate officers are:
Record	I owner is not a corporation.
a person who re	s of any record owner is not located in the county in which the dwelling is located, the name and address of esides in the county and is authorized to accept notices from a tenant, to issue receipts for those notices and ce of process on behalf of the out-of-county record owner(s) are as follows:
The ad	dresses of all record owners in the county in which the dwelling is located:
4. The name an	nd addresses of the managing agent are as follows:
There	is NO managing agent.

5. The names and address (including dwelling unit, apartment or room number) of the superintendent, janitor, custodian of other person employed to provide regular maintenance service are as follows:
There is no superintendent, janitor, custodian or other person employed to provided regular maintenance service.
6. The name, address and telephone number of an individual representative of the record owner or managing agent who may be reached or contacted at any time in the event of an emergency affecting the dwelling or any dwelling unit, including such emergencies as the failure of any essential service or system, and who has authority to make emergency decisions concerning the building, including the making of repairs and expenditures are as follows: *Must be different from #1
Name:
Address;
Phone #:
7. The names and addresses of all holders of recorded mortgages on the property are as follows:
There is no recorded mortgage on the property.
8. If fuel oil is used to heat the building and the landlord furnishes the heat, the name and address of the fuel oil dealer servicing the building and the grade of fuel oil used are as follows:
Dealer Name:
Dealer Address:
Oil Grade:
The building is not heated by fuel oil.
The building is heated by fuel oil, but the landlord does not supply heat.
Date Landlord or Authorized Representative

THIS FORM TO BE FILED WITH THE MUNICIPAL CLERK AND DISTRIBUTED TO TENANTS.



201-641-9234 201-641-1957 FAX www.littleferrynj.org

Insurance Registry Form

As of August 5, 2022, S-1368 requires all business owners and owners of rental units to annually register a certificate of insurance with the municipality where the business or rental unit is located.

Please complete and return this form to comply with this law.

Signature ____

Owner Information Last Name First Name _____ Mailing Address _____ **Business/ Rental Unit Information** Property Location _____ _____ Lot _____ Qualifier _____ Owner Name Owner Address Owner City ____ Owner Zip Code___ Number of Units ____ Is the Property Owner Occupied? Yes _____ Property Type _____ Insurance Information Insurance Provider _____ Date of expiration____ Attach a copy of the Insurance Certificate _____ Date _____



215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

Smoke/Carbon Dioxide (CO) Detectors / Fire Door / Fire Extinguisher Requirements

1.) SMOKE DETECTORS SHALL BE LOCATED:

- If constructed prior to 1977 on each level of dwelling and within 10 feet of sleeping areas.

 Detectors may be battery powered provided they utilize a 10-year sealed battery.
- If constructed between 1977 and 1983 110V Smoke Detector in the basement, and within 10 feet of all sleeping rooms. No interconnection or battery back-up required; however, battery backup is strongly recommended. Battery operated smoke detection is required on all other levels and shall utilize only 10-year sealed battery detectors.
- If constructed between 1984 and 1989 110V Smoke Detector on each level of dwelling, and within 10 feet of all sleeping rooms. All smoke detectors shall be interconnected. Battery back-up is not required but is strongly recommended.
- If constructed between 1990 and 1992 110V Smoke Detector with battery back-up located on each level of the structure, inside of each sleeping room, and within 10 feet outside of sleeping rooms.

 All smoke detectors shall be interconnected. Battery back-up is required unless the building is fully sprinklered. Nevertheless, battery back-up is strongly recommended.
- If constructed between 1993 and 1999 110V Smoke Detectors with battery back-up located on each level of the structure, inside of each sleeping room, and within 10 feet outside of sleeping rooms. All smoke detectors are to be interconnected. Smoke detection is not required in bedrooms if building is fully sprinklered. Battery back-up is not required if the building is fully sprinklered. Nevertheless, battery back-up is strongly recommended.
- If constructed between 2000 and present 110V Smoke Detectors with battery back-up located on each level of the structure, inside all sleeping rooms, and within 10 feet outside of sleeping rooms. All smoke detectors are to be interconnected. (Note: There are no battery back-up exemptions for a fully sprinklered building.)

Notes:



215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

 All Smoke Detectors with a manufacture 	date greater than	10 years must	be replaced	1.
--	-------------------	---------------	-------------	----

- O Detector Date of Manufacture (located on back of detector):
- All battery-operated smoke detectors shall be of the 10-year sealed battery type.
- Smoke Detectors shall be installed securely at the highest point of the ceiling or, for level ceilings, may be installed on a wall between 4 and 12 inches below the ceiling.
- Smoke Detector operation shall be tested monthly. Backup batteries in 110V detectors shall be changed once a year to assure proper operation.

2. CARBON MONOXIDE DETECTORS SHALL BE LOCATED:

- Within 10 Feet of all sleeping areas.
- On every level of the dwelling.
- Immediately outside of any room containing a fuel-burning appliance.
- In close proximity to the entrance of an attached garage.

Notes:

All Carbon Monoxide Detectors with a manufacture date greater than 5 years shall be replaced unless the manufacturer's literature allows for a longer period. In that case, submit the manufacturer's literature with this affidavit.

Detector Date of Manufacture (located on back of detector):

Carbon monoxide detection that is part of a combination smoke/carbon monoxide detector with a 10-year sealed battery is good for 10 years from date of manufacture.

3. APARTMENT ENTRY DOORS:

- All doors separating dwelling units from common hallways shall be self-closing and self-latching. Check operation by opening the door halfway and verifying that the door fully closes and latches on its own.
- Double-keyed cylinder deadbolt locks are prohibited on egress doors.

4. FIRE EXTINGUISHERS:

- One- and two- family homes and where applicable some garden-style apartment complexes shall have an approved listed-type ABC fire extinguisher with a minimum rating of 2A:10B:C within 10 feet of the kitchen.
- The extinguisher shall be mounted using the manufacturer's hanging bracket with the top of the extinguisher not more than five (5) feet above the floor and readily accessible and not obstructed.



Smoke/Carbon Monoxide (CO) Detectors / Fire Door / Fire Extinguisher Affidavit

BUILDING NAME (IF APPLICABLE):	
ADDRESS:	
APARTMENT NO (IF APPLICABLE).:	PHONE:
Please Check One: Owner: Mana	ngement:
Note: This form must be completed by the OWNER or BUIL this form.	DING MANAGEMENT. Realtors are prohibited from filling out
=======================================	
As the liable party of the property, I have read and fully unde (CCO). The Smoke Detectors, Carbon Monoxide Detectors, I code, as required for the type of property being applied for.	erstand the requirements for obtaining a Certificate of Compliance Fire Doors and Fire Extinguishers are operational and installed as per
Printed Name of Owner or Rental Management Completing Affidavit	Telephone Number
Signature	Date



Borough of Little Ferry

215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

Application for Certificate of Compliance (CCO)

Addendum for Lead-Based Paint Hazards
New Jersey Public Law 2021, c.182

*** Complete this form ONLY if the YEAR BUILT for the premises is prior to 1978 and is a Rental Unit ***

PROPERTY ADDRESS:
 Has the property/dwelling been previously certified to be free of lead-based paint pursuant to N.J.A.C. 5:17-3.6(b) either after an abatement was completed or an evaluation confirmed there is no lead-based paint in the dwelling? YES NO
If YES, submit a certification form from a certified lead evaluation firm.
 FOR MULTIPLE DWELLINGS ONLY (3 or more dwelling units): Has the property been registered with the Department of Community Affairs for at least 10 years with no outstanding paint violations from the most recent cyclical inspection performed pursuant to N.J.S.A. 55:13A-1? YES NO If YES, the information will be verified by Little Ferry Code Enforcement.
 Has the property/dwelling been issued a valid lead-safe certificate issued pursuant to P.L. 2021, c.182? Lead-safe certificate are valid for two years from the date of issuance.
If YES, submit the valid lead-safe certificate.
If you have answered NO to all the questions above or are unable to provide valid documentation, a Lead-Based Paint Hazard (LPH) inspection must be performed.
The Little Ferry Code Enforcement will conduct the LPH inspection; however, in accordance with P.L. 2021, c.182, the owner/landlord may directly hire an NJ certified lead evaluation contractor.
CHOOSE ONE OF THE FOLLOWING:
I opt to have the required LPH inspection performed by the Little Ferry Code enforcement inspector. The fee for this inspection is \$150 (in addition to the fee for the COC).
I opt to directly hire an NJ certified lead evaluation contractor and will provide a lead-safe certificate to the Little Ferry Building Department. A 15% administrative fee will be charged for choosing this option.
Signature of Property Owner:



Property Owner Fire Safety Registration for Non-Owner-Occupied Dwellings (for Rentals ONLY)

This form is to be filled out with emergency contacts for the OWNER of the property when it's being occupied as a RENTAL. (This should not be the owner's information or the Tenant's Information!)

If at any time any of these names change, you are required to contact this office and provide the new information.

PROPERTY ADDRESS:	AP1/UNIT NO.:
NAME #1:	
CELL PHONE:	
NAME #2:	
CELL PHONE:	·
NAME #3:	
CELL PHONE:	



215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

IT IS IMPERATIVE THAT YOU SEE THE TAX OFFICE TO ENSURE THAT TAXES ARE CURRENT

PROPERTY OWNER:			
ADDRESS			
BLOCK	LOT	QUAL NO	
TAXES ARE CURRENT AS O	F		
TAX CLERK			
	ANNA MOROLLA		



OFFICIAL USE ONLY

THIS IS TO CERTIFY THAT THER ARE:

DATE: ______.

OPEN PERMITS _____.

NO OPEN PERMITS _____.

BLOCK ______.

FOR THE FOLLOWING ADDRESS ____.

Keith Dalton Construction Official

WHERE TO LOCATE DETECTORS:

Detectors are to be located on every level of a residence, (basement, first floor, second floor) excluding crawl spaces and unfinished attics, and in every separate sleeping area, between sleeping areas and living areas such as the kitchen, garage, basement or utility room. In homes with only one sleeping area on one floor, a detector is to be placed in the hallway outside the bedrooms as shown in: Figure 1. In single floor homes with two separate sleeping areas, two detectors are required, outside each sleeping area as shown in Figure 2. In multi-level homes, detectors are to be located outside sleeping areas and at every finished level of the homes as shown in Figure 3, Basement level detectors are to be located in close proximity to the bottom of basement stairwells as shown in Figure 4.

WHERE NOT TO LOCATE DETECTORS

To avoid false alarms and/or improper operation, avoid installation of smoke detectors in the following areas:

Kitchens-smoke from cooking may cause a nuisance alarm.

Bathrooms-excessive steam from a shower may cause a nuisance alarm.

Heat forced air ducts-used for heating or air-movement may prevent smoke from reaching detector.


The 4-inch "Dead Air" space where the ceiling meets the wall, as shown in Figure 5.

The peak of an "A" frame type of ceiling-"Dead Air" at the top may prevent smoke from reaching detector.

FURTHER INFORMATION ON DETECTOR PLACEMENT:

For further information about smoke detector placement consult the National Protection Association's Standard No. 74-1984, titled "Household Fire Watning Equipment'. For Carbon Monoxide alarms, their publication is Recommended Practice #720. These publications may be obtained by writing to the Publication Sales Department National Fire Protection Association, Batterymarch Park, Quincy MA 02269.

Carbon monoxide alarms are to be located in every separate sleeping area per NFPA 720 and manufacturer's recommendations.



An Ounce of Prevention

Here are some steps you can take to protect yourself and your family:

- Have home furnaces and heating systems professionally inspected annually.
- Have the chimney and flue cleaned professionally.
- Open flues when fireplaces are in use
- Use proper fuel in kerosene space heaters.
- Make sure burner flames on furnaces and stoves are blue not yelloworange.
- Ensure that appliances such as gas dryers are properly vented.
- Never run an automobile in an attached garage or a gas engine in any enclosed space.
- Discourage or prohibit smoking indoors.
- Consider installing a carbon monoxide detector that meets the amended UL (Underwriters Laboratories) standard 2034, effective October 1, 1995. (Underwriters Laboratories has a set standard (UL 2034) that calls for a detector to sound the alarm before a person would experience a blood concentration of 10% carboxyhemoglobin. Cigarette smoking typically causes a level of about 9%.)

If you suffer from dizziness, nausea, fatigue, and headaches while you are home and feel better when you go out you may have CO poisoning. See a doctor and get a carboxyhemoglobin test to determine the percentage of carbon monoxide in your blood.

If you would like more information, there are several consumer hotlines established to address CO questions:

- The American Sensor's Healthy Home Hotline (800/387-4291)
- Local chapters of the American Lung Association (800/LUNG-USA)
- The Consumer Product Safety Commission (800/638-CPSC)



Borough of Little Ferry POLICE DEPARTMENT



JAMES WALTERS
CHIEF OF POLICE

Yes

No

Revised: 10/8/2019

COUNTY OF BERGEN 215-217 LIBERTY STREET LITTLE FERRY, NJ 07643-1507

INCORPORATED 1894

Date Entered in Bus. File__/_/__/

PHONE (201) 641-2770 – FAX (201) 641-4828 PoliceDepartment@littleferrypd.org

The Little Ferry Police Department is requesting that you fill out the necessary information listed below. This information is required on a yearly basis as per Borough Ordinance, and fines will be issued if it is not completed. This information will be kept confidential and on file at police headquarters in the event of an emergency after normal business hours. In the event of ANY changes at any time during the year, you must contact the Police Department with the updated information. Please fill out one copy and return it to the Police Department. If you need to make additional copies for changes, feel free to do so or you can obtain them from the Police Department

Your safety and is on a volunteer basis.

Does your business or home have a video surveillance device on the exterior of the building, and

if so would you be willing to share this information to assist in an investigation. This is for your

	Please I	Print or Type All Information Clearly
Resident/Business Name		
Little Ferry Address		
Telephone #()		Fax(
,		Emergency Contacts
Contact #1 Name		
Address		
Telephone #()		
Contact #2 Name		
Address		
Telephone #()	ы.	
		Turn over for more Contacts

Date Received__/__/

TO BE COMPLETED BY PROPERTY OWNER / TENANT



Please register your emergency contact information for your Business/Residence online at parkingrequest.com . Register under Key Holder information with valid email address