

# Borough of Little Ferry

215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

### Application for a Certificate of RESALE Borough Ordinance No. 1605-19-23 Ordinance No. 1272-04-09

		Ordinance No.1272	2-04-09	•
DATE:	_			
PROPERTY ADDRESS:	PERTY ADDRESS:APT/UNIT NO.:			
BLOCK: LOT:	YEAR BU	ILT:OWNER	OCCUPIED: YES_	NO
		mily: 3 Family: SING DATE:		Condo: Townhouse:
PROPERTY OWNER:				
PROPERTY OWNER'S ADDRES	SS (MAILING/ RESII	DING):		
CITY:	STATE:	ZIP CODE:	TELEI	PHONE:
BUYERS NAME:		TELEPHONE:	EM	AIL:
CLOSING DATE:				
CONTACT NAME FOR INSPEC	TION:		PHONE:	
<ul> <li>additional fees.</li> <li>Include the name and</li> <li>All pages of informat</li> <li>All requirements on the</li> <li>No one is permitted to</li> </ul>	telephone number of ion on the application ne CCO Affidavit per of occupy the premise ssued once all open	of the contact person responshall be read and filled ertaining to the unit/build es prior to approval from building permits are closs	consible for meeting to d out completely. ding being inspected so the Building Depart sed; and all taxes, per	shall be complied with. ment. nalties and/or fees due to the
Printed Name of Property Owner		Property Ov	vner's / Telephone Num	iber
Signature of Property Owner		Property Ow	rner's E-Mail Address	

FOR OFFICE USE ONLY: CCO# \_\_\_\_\_ PAID: CHECK #: \_\_\_\_ CASH: \_\_\_\_

INSPECTION DATE SCHEDULED: \_\_\_\_\_ TIME: \_\_\_\_



215-217 LIBERTY STREET • LITTLE FERRY, NJ 0764: 201-641-9234 201-641-1957 FAX www.littleferrynj.org

### CERTIFICATE IN LIEU OF OATH

I,	am Eighteen	en (18) years of age or older and do solemnly affirm and say:		
I will own and exercise contro Little Ferry, County of Bergen			located within the Borough of	
As of this date occupied by persons living ind	the said premis	es contains no more that ther, le: Single Family H	an one dwelling unit occupied or intended to be Home.	
all occupants. Borough Code 35-122.2 Sho	rt-term Rental Prop	erty Prohibited uses i.e ding houses or any parts there	the number of units, names and address of e, Airbnb, VRBO, etc. (No residential premises, reof or rooms therein, except duly licensed hotels and less than 180 days, notwithstanding.)	
of this single-family home, pro notify this agency upon such c	oposed conversion to the hange will subject me the Borough of Little	two or more dwelling un to legal penalty as prese	the event of a proposed rental of any portion nits. I understand and accept that failure to scribed in the Ordinance No.(s) (1197-06-06, ledge that no area of the basement shall be	
I hereby certify that all stateme by me are willfully false, I am			are that if any of the foregoing statements made	
Buyer's Signature	,	State of		
Print Name		County of		
Address if different than above	_ e	(day) of _	, 20	
		NOTARY PUBLIC		

Any person who violates or causes to violate any provisions of the Borough of Little Ferry Zoning Ordinance(s), shall be liable to pay a penalty of not less than \$250.00 nor more than \$2,500.00 per day for each day of continuing violation or a confinement to not more than ninety (90) days in jail or both for each of the summons issued. Each day a violation continues, beyond the date fixed for compliance in the notice provided for herein, shall be a new and separate violation of this section.



### Smoke/Carbon Dioxide (CO) Detectors / Fire Door / Fire Extinguisher Requirements

#### 1.) SMOKE DETECTORS SHALL BE LOCATED:

- If constructed prior to 1977 on each level of dwelling and within 10 feet of sleeping areas.

  Detectors may be battery powered provided they utilize a 10-year sealed battery.
- If constructed between 1977 and 1983 110V Smoke Detector in the basement, and within 10 feet of all sleeping rooms. No interconnection or battery back-up required; however, battery backup is strongly recommended. Battery operated smoke detection is required on all other levels and shall utilize only 10-year sealed battery detectors.
- If constructed between 1984 and 1989 110V Smoke Detector on each level of dwelling, and
  within 10 feet of all sleeping rooms. All smoke detectors <u>shall be interconnected</u>. Battery back-up is
  not required but is strongly recommended.
- If constructed between 1990 and 1992 110V Smoke Detector with battery back-up located on each level of the structure, inside of each sleeping room, and within 10 feet outside of sleeping rooms.

  All smoke detectors shall be interconnected. Battery back-up is required unless the building is fully sprinklered. Nevertheless, battery back-up is strongly recommended.
- If constructed between 1993 and 1999 110V Smoke Detectors with battery back-up located on each level of the structure, inside of each sleeping room, and within 10 feet outside of sleeping rooms. All smoke detectors are to be interconnected. Smoke detection is not required in bedrooms if building is fully sprinklered. Battery back-up is not required if the building is fully sprinklered. Nevertheless, battery back-up is strongly recommended.
- If constructed between 2000 and present 110V Smoke Detectors with battery back-up located on each level of the structure, inside all sleeping rooms, and within 10 feet outside of sleeping rooms.

  All smoke detectors are to be interconnected. (Note: There are no battery back-up exemptions for a fully sprinklered building.)

Notes:



215-217 LIBERTY STREET • LITTLE FERRY, NJ 07643 201-641-9234 201-641-1957 FAX www.littleferrynj.org

- 1. All Smoke Detectors with a manufacture date greater than 10 years must be replaced.
  - O Detector Date of Manufacture (located on back of detector):
- All battery-operated smoke detectors shall be of the 10-year sealed battery type.
- Smoke Detectors shall be installed securely at the highest point of the ceiling or, for level ceilings, may be installed on a wall between 4 and 12 inches below the ceiling.
- Smoke Detector operation shall be tested monthly. Backup batteries in 110V detectors shall be changed once a year to assure proper operation.
- 2. CARBON MONOXIDE DETECTORS SHALL BE LOCATED:
  - Within 10 Feet of all sleeping areas.
  - On every level of the dwelling.
  - Immediately outside of any room containing a fuel-burning appliance.
  - In close proximity to the entrance of an attached garage.

Notes:

All Carbon Monoxide Detectors with a manufacture date greater than 5 years shall be replaced unless the manufacturer's literature allows for a longer period. In that case, submit the manufacturer's literature with this affidavit.

Detector Date of Manufacture (located on back of detector):

Carbon monoxide detection that is part of a combination smoke/carbon monoxide detector with a 10-year sealed battery is good for 10 years from date of manufacture.

#### 3. APARTMENT ENTRY DOORS:

- All doors separating dwelling units from common hallways shall be self-closing and self-latching. Check operation by opening the door halfway and verifying that the door fully closes and latches on its own.
- Double-keyed cylinder deadbolt locks are prohibited on egress doors.

#### 4. FIRE EXTINGUISHERS:

- One- and two- family homes and where applicable some garden-style apartment complexes shall have an approved listed-type ABC fire extinguisher with a minimum rating of 2A:10B:C within 10 feet of the kitchen.
- The extinguisher shall be mounted using the manufacturer's hanging bracket with the top of the extinguisher not more than five (5) feet above the floor and readily accessible and not obstructed.



### Smoke/Carbon Monoxide (CO) Detectors / Fire Door / Fire Extinguisher Affidavit

BUILDING NAME (IF APPLICABLE):	
ADDRESS:	
APARTMENT NO (IF APPLICABLE).:	PHONE:
Please Check One: Owner: M	lanagement:
Note: This form must be completed by the OWNER or BU this form.	UILDING MANAGEMENT. Realtors are prohibited from filling out
	nderstand the requirements for obtaining a Certificate of Compliance rs, Fire Doors and Fire Extinguishers are operational and installed as per or.
Printed Name of Owner or Rental Management Completing Affidavit	Telephone Number
Signature	Date



# IT IS IMPERATIVE THAT YOU SEE THE TAX OFFICE TO ENSURE THAT TAXES ARE CURRENT

PROPERTY OWNER:		
ADDRESS	·	
BLOCK	LOT	QUAL NO
TAXES ARE CURRENT AS OF		
TAX CLERK		·
	ANNA MOROLLA	



OFFICIAL USE ONLY

THIS IS TO CERTIFY THAT THER ARE:

DATE:	·	
OPEN PERMITS		<i>:</i>
NO OPEN PERMITS		_•
BLOCK	LOT	_•
FOR THE FOLLOWING ADDRESS		

Keith Dalton Construction Official



## Borough of Little Ferry POLICE DEPARTMENT



JAMES WALTERS
CHIEF OF POLICE

### COUNTY OF BERGEN 215-217 LIBERTY STREET LITTLE FERRY, NJ 07643-1507

**INCORPORATED 1894** 

PHONE (201) 641-2770 – FAX (201) 641-4828 PoliceDepartment@littleferrypd.org

The Little Ferry Police Department is requesting that you fill out the necessary information listed below. This information is required on a yearly basis as per Borough Ordinance, and fines will be issued if it is not completed. This information will be kept confidential and on file at police headquarters in the event of an emergency after normal business hours. In the event of ANY changes at any time during the year, you must contact the Police Department with the updated information. Please fill out one copy and return it to the Police Department. If you need to make additional copies for changes, feel free to do so or you can obtain them from the Police Department

Yes

Does your business or home have a video surveillance device on the exterior of the building, and if so would you be willing to share this information to assist in an investigation. This is for your Your safety and is on a volunteer basis.

Contact #2 Name\_\_\_\_

Turn over for more Contacts

Revised: 10/8/2019 Date Received / / Date Entered in Bus. File / /

# TO BE COMPLETED BY PROPERTY OWNER / TENANT



Please register your emergency contact information for your Business/Residence online at parkingrequest.com . Register under Key Holder information with valid email address

### WHERE TO LOCATE DETECTORS:

Detectors are to be located on every level of a residence, (basement, first floor, second floor) excluding crawl spaces and unfinished attics, and in every separate sleeping area, between sleeping areas and living areas such as the kitchen, garage, basement or utility room. In homes with only one sleeping area on one floor, a detector is to be placed in the hallway outside the bedrooms as shown in: Figure 1. In single floor homes with two separate sleeping areas, two detectors are required, outside each sleeping area as shown in Figure 2. In multi-level homes, detectors are to be located outside sleeping areas and at every finished level of the homes as shown in Figure 3, Basement level detectors are to be located in close proximity to the bottom of basement stairwells as shown in Figure 4.

### WHERE NOT TO LOCATE DETECTORS

To avoid false alarms and/or improper operation, avoid installation of smoke detectors in the following areas:

Kitchens-smoke from cooking may cause a nuisance alarm.

Bathrooms-excessive steam from a shower may cause a misance alarm.

Heat forced air ducts-used for heating or air-movement may prevent smoke from reaching detector.


The 4-inch "Dead Air" space where the ceiling meets the wall, as shown in Figure 5.

The peak of an "A" frame type of ceiling-"Dead Air" at the top may prevent smoke from reaching detector.

### FURTHER INFORMATION ON DETECTOR PLACEMENT:

For further information about smoke detector placement consult the National Protection Association's Standard No. 74-1984, titled "Household Fire Warning Equipment". For Carbon Monoxide alarms, their publication is Recommended Practice #720. These publications may be obtained by writing to the Publication Sales Department National Fire Protection Association, Batterymarch Park, Quincy MA 02269.

Carbon monoxide alarms are to be located in every separate sleeping area per NFPA 720 and manufacturer's recommendations.



### An Ounce of Prevention

Here are some steps you can take to protect yourself and your family:

- Have home furnaces and heating systems professionally inspected annually.
- Have the chimney and flue cleaned professionally.
- Open flues when fireplaces are in use
- Use proper fuel in kerosene space heaters.
- Make sure burner flames on furnaces and stoves are blue not yellow-
- Ensure that appliances such as gas dryers are properly vented.
- Never run an automobile in an attached garage or a gas engine in any enclosed space.
- Discourage or prohibit smoking indoors.
- Consider installing a carbon monoxide detector that meets the amended UL (Underwriters Laboratories) standard 2034, effective October 1, 1995. (Underwriters Laboratories has a set standard (UL 2034) that calls for a detector to sound the alarm before a person would experience a blood concentration of 10% carboxyhemoglobin. Cigarette smoking typically causes a level of about 9%.)

If you suffer from dizziness, nausea, fatigue, and headaches while you are home and feel better when you go out you may have CO poisoning. See a doctor and get a carboxyhemoglobin test to determine the percentage of carbon monoxide in your blood.

If you would like more information, there are several consumer hotlines established to address CO questions:

- The American Sensor's Healthy Home Hotline (800/387-4291)
- Local chapters of the American Lung Association (800/LUNG-USA)
- The Consumer Product Safety Commission (800/638-CPSC)